

Aluminium – Flachstangen

		AlCuMgPb EN AW-2007 Wst. 3.1645	AlMgSi0,5 EN AW-6060 Wst. 3.3206
Abmessung	Gewicht ca. kg/m	F 34-37	F 22
10 x 2	0,054		X
10 x 3	0,081		X
10 x 4	0,110		X
10 x 5	0,135		X
10 x 6	0,160		X
10 x 8	0,220		X
12 x 2	0,065		X
12 x 3	0,097		X
12 x 4	0,130		X
12 x 5	0,162		X
12 x 6	0,194		X
12 x 8	0,260		X
12 x 10	0,325		X
15 x 2	0,081		X
15 x 3	0,122		X
15 x 4	0,165		X
15 x 5	0,203		X
15 x 6	0,245		X
15 x 8	0,342	X	X
15 x 10	0,428	X	X
15 x 12	0,486		X
20 x 2	0,110		X
20 x 3	0,162		X
20 x 4	0,220		X
20 x 5	0,270		X
20 x 6	0,324		X
20 x 8	0,456	X	X
20 x 10	0,570	X	X
20 x 12	0,684	X	X
20 x 15	0,855	X	X
25 x 2	0,140		X
25 x 3	0,203		X
25 x 4	0,270		X
25 x 5	0,340		X
25 x 6	0,406		X
25 x 8	0,570	X	X
25 x 10	0,713	X	X
25 x 12	0,855	X	X
25 x 15	1,069	X	X
25 x 20	1,425	X	X
30 x 2	0,162		X
30 x 3	0,243		X
30 x 4	0,324		X
30 x 5	0,405		X
30 x 6	0,486		X
30 x 8	0,684	X	X
30 x 10	0,855	X	X
30 x 12	1,030	X	X
30 x 15	1,283	X	X
30 x 20	1,710	X	X
30 x 25	2,138	X	X
35 x 2	0,190		X
35 x 3	0,284		X
35 x 4	0,380		X
35 x 5	0,475		X
35 x 6	0,565		X
35 x 8	0,755		X
35 x 10	0,998	X	X
35 x 12	1,140		X
35 x 15	1,497	X	X
35 x 20	1,995	X	X
35 x 25	2,494	X	X
40 x 2	0,216		X
40 x 3	0,324		X

40 x 4	0,432		X
40 x 5	0,540		X
40 x 6	0,650		X
40 x 8	0,912	X	X
40 x 10	1,140	X	X
40 x 12	1,370	X	X
40 x 15	1,710	X	X
40 x 20	2,280	X	X
40 x 25	2,850	X	X
40 x 30	3,420	X	X
45 x 3	0,365		X
45 x 4	0,486		X
45 x 5	0,608		X
45 x 8	0,972		X
45 x 10	1,215		X
45 x 15	1,823		X
45 x 20	2,430		X
45 x 25	3,038		X
50 x 2	0,270		X
50 x 3	0,410		X
50 x 4	0,540		X
50 x 5	0,675		X
50 x 6	0,855	X	X
50 x 8	1,140	X	X
50 x 10	1,425	X	X
50 x 12	1,710	X	X
50 x 15	2,138	X	X
50 x 20	2,850	X	X
50 x 25	3,563	X	X
50 x 30	4,275	X	X
50 x 35	4,988	X	X
50 x 40	5,700	X	X
60 x 2	0,325		X
60 x 3	0,486		X
60 x 4	0,650		X
60 x 5	0,810		X
60 x 6	0,972		X
60 x 8	1,370	X	X
60 x 10	1,710	X	X
60 x 12	2,052	X	X
60 x 15	2,565	X	X
60 x 20	3,420	X	X
60 x 25	4,275	X	X
60 x 30	5,130	X	X
60 x 40	6,840	X	X
60 x 45	7,695	X	X
60 x 50	8,550	X	X
65 x 10	1,755		X
70 x 3	0,567		X
70 x 4	0,756		X
70 x 5	0,945		X
70 x 6	1,134		X
70 x 8	1,512		X
70 x 10	1,995	X	X
70 x 12	2,394	X	X
70 x 15	2,993	X	X
70 x 20	3,990	X	X
70 x 25	4,988	X	X
70 x 30	5,985	X	X
70 x 40	7,980	X	X
70 x 50	9,980	X	X
75 x 6	1,215		X
75 x 10	2,025		X
80 x 2	0,432		X
80 x 3	0,648		X
80 x 4	0,864		X
80 x 5	1,080		X
80 x 6	1,300		X
80 x 8	1,730		X
80 x 10	2,280	X	X
80 x 12	2,736	X	X
80 x 15	3,420	X	X
80 x 20	4,560	X	X

80 x 25	5,700	X	X
80 x 30	6,840	X	X
80 x 40	9,120	X	X
80 x 50	11,400	X	X
80 x 60	13,680	X	X
90 x 3	0,729		X
90 x 4	0,972		X
90 x 5	1,220		X
90 x 6	1,458		X
90 x 8	1,944		X
90 x 10	2,430		X
90 x 12	2,916		X
90 x 15	3,650		X
90 x 20	4,860		X
90 x 30	7,695	X	X
90 x 40	10,260	X	X
90 x 50	12,825	X	X
90 x 60	15,390	X	X
100 x 2	0,540		X
100 x 3	0,810		X
100 x 4	1,080		X
100 x 5	1,350		X
100 x 6	1,620		X
100 x 8	2,160		X
100 x 10	2,850	X	X
100 x 12	3,420	X	X
100 x 15	4,275	X	X
100 x 20	5,700	X	X
100 x 25	7,125	X	X
100 x 30	8,550	X	X
100 x 40	11,400	X	X
100 x 50	14,250	X	X
100 x 60	17,100	X	X
100 x 80	22,800	X	X
110 x 10	2,970		X
120 x 4	1,296		X
120 x 5	1,620		X
120 x 6	1,944		X
120 x 8	2,592		X
120 x 10	3,420	X	X
120 x 12	3,888		X
120 x 15	5,130	X	X
120 x 20	6,840	X	X
120 x 30	10,260	X	X
120 x 40	13,680	X	X
120 x 50	17,100	X	X
120 x 60	20,520	X	X
130 x 8	2,808		X
130 x 10	3,510		X
130 x 15	5,265		X
130 x 20	7,020		X
140 x 10	3,780		X
140 x 15	5,670		X
150 x 5	2,025		X
150 x 8	3,240		X
150 x 10	4,050		X
150 x 12	4,860		X
150 x 15	6,080		X
150 x 20	8,550	X	X
150 x 30	12,150		X
160 x 8	3,456		X
160 x 10	4,320		X
160 x 15	6,480		X
180 x 10	4,860		X
180 x 20	9,720		X
200 x 5	2,700		X
200 x 8	4,320		X
200 x 10	5,400		X
200 x 15	8,100		X
200 x 20	10,800		X
250 x 10	6,750		X
250 x 20	13,500		X

Aluminium – Vierkantstangen

		AlCuMgPb EN AW-2007 Wst. 3.1645	AlMgSi0,5 EN AW-6060 Wst. 3.3206
Abmessung	ca. kg/m	F 34-37	F 22
6	0,110	X	X
8	0,182	X	X
10	0,285	X	X
12	0,410	X	X
15	0,641	X	X
16	0,730	X	X
20	1,140	X	X
22	1,380	X	
25	1,781	X	X
30	2,565	X	X
32	2,920	X	
35	3,491	X	X
40	4,560	X	X
45	5,771	X	X
50	7,125	X	X
55	8,621	X	X
60	10,260	X	X
65	12,040	X	
70	13,965	X	X
75	16,030	X	
80	18,240	X	X
90	23,085	X	
100	28,500	X	X
110	34,485	X	
120	41,040	X	
140	55,860		
150	64,125		
180	92,340		
200	114,000		



LAUINGER & HEHS
STAHLVERTRETUNGEN NE-METALLE

Lauinger & Hehs GmbH • Stuttgarter Straße 37 • 75179 Pforzheim
Telefon: 0 72 31 / 38 54 -0 • Telefax: 0 72 31 / 35 63 12
E-Mail: Info@Lauinger.net • Internet: www.Lauinger.net